

02/16/00

jc377 U.S. PTO

2-18-00

PTO/SB/05 (4/98)

Approved for release through 09/30/2000. OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

A

+

Please type a plus sign (+) inside this box →

+

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY

PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No. 99EC015/75339

First Inventor or Application Identifier Hymel

Title ACD MULTIMEDIA CUSTOMER CONTACT ROUTING WITH DELAY ANNOUNCEMENTS

Express Mail Label No. EL131186152US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

ADDRESS TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

1. ☐ \*Fee Transmittal Form (e.g. PTO/SB/17) (Submit an original and a duplicate for fee processing)

2. ☒ Specification (preferred arrangement set forth below)

Total Pages 19

- Descriptive title of the Invention

- Cross References to Related Applications

- Statement Regarding Fed sponsored R & D

- Reference to Microfiche Appendix

- Background of the Invention

- Brief Summary of the Invention

- Brief Description of the Drawings (if filed)

- Detailed Description

- Claim(s)

- Abstract of the Disclosure

3. ☒ Drawing(s) (35 U.S.C. 113)

Total Sheets 3

4. ☐ Oath or Declaration

Total Pages 2

a. ☐ Newly executed (original or copy)

b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed)

i. ☐ DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

5. ☐ Microfiche Computer Program (Appendices)

6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)

a. ☐ Computer Readable Copy

b. ☐ Paper Copy (identical to computer copy)

c. ☐ Statement verifying identify of above copies

ACCOMPANYING APPLICATION PARTS

7. ☐ Assignment Papers (cover sheet & document(s))

8. ☐ 37. C.F.R. § 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney

9. ☐ English Translation Document (if applicable)

10. ☐ Information Disclosure Statement (IDS) PTO-1449 ☐ Copies of IDS Citations

11. ☐ Preliminary Amendment

12. ☒ Return Receipt Postcard (MPEP 503) (Should be specifically itemized)

13. ☐ \*Small Entity Statement(s) (PTO/SB/09-12)0 ☐ Statement filed in Prior application, Status still proper and desired

14. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)

15. ☐ Other:

NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment

☐ Continuation
☐ Divisional
☐ Continuation-In-Part (CIP)

Of prior application No.:

Prior application information: Examiner not yet assigned

Group/Art Unit:

FOR CONTINUATION or DIVISIONAL APPS ONLY: The entire disclosure of the prior application, from which an oath or declarations supplied Under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by Reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label

(Insert Customer No. or attach bar code label here)

or
☒ Correspondence address below

Name Jon P. Christensen, Esq.

Address WELSH & KATZ, LTD. 120 South Riverside Plaza, 22nd Floor

City Chicago

State Illinois

Zip Code 60606

Country USA

Telephone (312) 655-1500

Fax (312) 655-1501

Name Print/Type Jon P. Christensen

Registration No. (Attorney/Agent) 34,137

Signature [Signature]

Date February 16, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Office, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

jc503 U.S. PTO

09/505318

02/16/00

ACD MULTIMEDIA CUSTOMER CONTACT  
ROUTING WITH DELAY ANNOUNCEMENTS

5

Field of the Invention

This is a non provisional application, from  
provisional application Serial No. 60/122,278, filed  
March 1, 1999. The field of the invention relates to  
10 telecommunication systems and more particularly to  
automatic call distributors.

Background of the Invention

Automatic call distribution systems are known.  
15 Such systems are typically used in an organizational  
context as a means of distributing telephone calls  
among a group of agents of the organization. Agents  
are typically segregated into groups to serve  
particular call targets within an organization.  
20 Often the organization disseminates a single  
telephone number to its customers and to the public in  
general as a means of contacting the organization. As  
calls are directed to the organization from the public  
switch telephone network (PSTN), the automatic call  
25 distribution system directs the calls to its agents  
based upon some algorithm, typically based upon  
availability. For example, where all agents are  
considered equal, the automatic call distributor (ACD)  
may distribute the calls based upon which agent  
30 position (telephone) has been idle the longest.

While ACDs are effective in handling phone calls,

they typically provide no mechanism for handling

I hereby certify that this paper is be-  
ing deposited with the United States Postal  
Service as Express Mail in an envelope ad-  
dressed to: Assistant Commissioner for Pat-  
ents, Washington, D.C. 20231, on this date.

Leonard J. Naye 2/16/00  
Date

Express Mail Label No.

EL131186152V3

inquiries and contacts through other mediums (e.g., e-mail, the Internet, etc.). Accordingly, a need exists for a method of coordinating agent activity for calls routing over a number of mediums.

5

### Summary

A method and apparatus are provided for routing multimedia calls within an automatic call distributor system having a automatic call distributor coupled to the public switched telephone network and a host coupled to the Internet. The method includes the steps of receiving an Internet call from an Internet caller by the host through the Internet, requesting an agent assignment for handling the Internet call from the automatic call distributor coupled to the public switched telephone network and transferring the Internet call to a terminal of the agent assigned by the automatic call distributor.

20

### Brief Description of the Drawings

FIG. 1 is a block diagram of an automatic call distributor in accordance with an illustrated embodiment of the invention; and

FIG. 2 depicts a webpage that may be used by the automatic call distributor of FIG. 1;

FIG. 3 depicts Internet options that may be used by the system of FIG. 1; and

FIG. 4 depicts an information presentation window used by the system of FIG. 1.

30

### Detailed Description of a Preferred Embodiment

FIG. 1 is a block diagram of a telephone system 10, generally, in accordance with an illustrated embodiment of the invention. Under the illustrated embodiment, an automatic call distributor (ACD) 14  
5 (e.g., a TRANSCEND ACD sold by Rockwell International) may receive calls from any of a number of callers 20 and automatically distribute the calls to any of a number of agents 22, 24.

Under the illustrated embodiment, calls may be  
10 received at the ACD 14 from the PSTN 12. As a call arrives, it may be delivered with associated call information (e.g., ANI, DNIS, etc.). As a call is detected, it may be assigned a unique call identification number by the ACD 14.

Based upon the associated call information, the  
15 ACD 14 may determine a call target intended by a caller (not shown) calling from a remotely located telephone 20. For example, an operator (not shown) of the ACD system 10 may provide a number of telephone numbers  
20 based upon function (e.g., a first telephone number may be provided to contact sales, a second telephone number may be provided for service, etc.). A CPU 32 within the ACD 14 may identify the call target based upon a content of the associated call information.

Each call target may have a number of agents 22,  
25 24 designated for handling calls to that call target. The agents 22, 24 designated for a particular call target together form an agent group.

Once a call target (and agent group) has been  
30 identified, the CPU 32 functions to identify an agent within the group to handle the call. Any of a number of algorithms may be used to identify the agent 22, 24.

An agent may be designated based upon the most skilled for that call type or upon which agent has been idle the longest.

Once an agent has been identified, the CPU 32 may  
5 instruct a switch 34 within the ACD 14 to form a connection between a trunk line upon which the call was detected and the identified (designated) agent 22, 24.

The CPU 14 may also send a call completion message to the host 16. The call completion message may  
10 contain the associated call information, designated agent and call identifier to the host. The host 16 by reference to ANI information of the associated call information may identify customer records associated with that ANI information and display the identified  
15 call records on a terminal 26, 28 of the designated agent.

In accordance with another feature of the illustrated embodiment, the host 16 may maintain a website 36 for the convenience of customers. On the  
20 website 36, the host 16 may offer information (FIG. 2) on a number of products. The information may be provided in the form of an interactive webpage 58. A series of product options 40, 44, 48 may be provided in a first area of the webpage 58. A product option may  
25 be selected by activation of an associated softkey 38, 42, 46.

Alternatively, an product keyword may be entered into another area 52. Activation of an associated softkey 50 may cause a search engine (not shown) of the  
30 website 36 to search the website for information related to the entered keyword.

As a further alternative, a website user (also referred to herein as a caller) may request a conversation with an agent of the ACD system 10. A descriptive header 56 may be provided instructing the caller to activate a softkey 54 to initiate such conversation.

Upon activating the softkey 54 requesting a conversation, a conversational webpage 60 (FIG. 3) may be presented to the caller. The caller may be offered the option of initiating a off-line conversation using e-mail or a real-time conversation. The e-mail option may be initiated by activation of a softkey 62 with an e-mail label. A real-time conversation may be initiated by activation of a second softkey 64.

Upon activation of the e-mail softkey 62, a text box is presented to the caller within which the caller may enter a message. The text box may have associated text asking the caller for a name and a telephone number for a return call. Any text entered by the caller would be stored by the host 16 for subsequent response by an agent. A path for a return message may be provided by a telephone number entered by the caller or an agent may return the call as an e-mail message using an Internet Protocol (IP) address retrieved by the initial access request to the website 36 from the caller.

Alternatively, the caller may select a real-time conversation by activating the conference softkey 64. The conference softkey 64 may be used to activate features where the caller and assigned agent may exchange audio information as well as exchange text or drawings through an interactive window. The creation

of the interactive audio and visual information may be executed under any of a number of different protocols (e.g., NetMeeting provided by Microsoft Corp.).

Under the illustrated embodiment, e-mail messages  
5 or real-time conferences are handled in a manner equivalent to a conventional telephone call. For example, a conventional call arrives over trunk lines 30, is assigned a call identifier and may be placed in a call queue maintained by the CPU 32. When an agent  
10 becomes available, the CPU 32 selects the agent and instructs the switch 34 to connect the call to the selected agent.

With regard to e-mail messages or real-time conferences, the host 16 may send a simulated call  
15 request to the CPU 32. The host 16 may send the call request over a TCP/IP connection 38 to a call application operating on the CPU 32 or may seize a connection on an incoming trunk 40 to the ACD 14 and send a set of simulated associated call information to  
20 the ACD 14.

In either case, the CPU 32 assigns a call identifier and assigns an agent to the call. Upon selection of an agent, the CPU 32 sends a call completion message to the host 16 including an  
25 identifier of the selected agent.

With the call completion message (and identity of the assigned agent), the host 16 may either forward the e-mail message from the caller or act to complete the real-time conference connection between the caller and  
30 assigned agent 22, 24.

Also, upon selecting an agent, the CPU 32 may instruct the switch 34 to connect the selected agent

22, 24 to a dummy load. Connection of the selected agent to a dummy load may be used to prevent the agent from being assigned to another call while the agent is handling the e-mail or real-time conference. A release  
5 button 23, 25 may be provided on a telephone of the agent 22, 24 to signal the CPU 32 when the e-mail or real-time conference is completed and the agent is ready for another call.

While the caller is waiting for assignment of an  
10 agent, a caller over a conventional voice channel may be presented with information and options regarding the call target. Similarly, a caller requesting a real-time conference may also be presented with information and options.

15 For example, a screen 70 (FIG. 4) may be presented to a caller waiting for a real-time conference. A first window 72 may present information about the real-time conference. An estimated time may be presented as to the time remaining until an assigned agent would be  
20 available to participate in the conference. Alternatively, the first window may request information from caller (e.g., an account number, product information, etc.). A second window 74 may be provided for entry of information by the caller.

25 A third window 76 may be provided for presentation of graphics to the caller as the caller waiting for the real-time conference. A animated cartoon figure may provided for the amusement of the caller and to maintain the interest of the caller as the caller  
30 waits.

A specific embodiment of a method and apparatus for a method of allocating resources within an



automatic call distributor has been described for the purpose of illustrating the manner in which the invention is made and used. It should be understood that the implementation of other variations and  
5 modifications of the invention and its various aspects will be apparent to one skilled in the art, and that the invention is not limited by the specific embodiments described. Therefore, it is contemplated to cover the present invention any and all  
10 modifications, variations, or equivalents that fall within the true spirit and scope of the basic underlying principles disclosed and claimed herein.

### Claims

1. A method of routing multimedia calls within an automatic call distributor system having a automatic call distributor coupled to the public switched telephone network and a host coupled to the Internet, such method comprising the steps of:
- 5 receiving an Internet call from an Internet caller by the host through the Internet;
- requesting an agent assignment for handling the Internet call from the automatic call distributor coupled to the public switched telephone network; and
- 10 transferring the Internet call to a terminal of the agent assigned by the automatic call distributor.
2. The method of routing multimedia calls as in claim 1 further comprising queuing the request for an agent assignment.
3. The method of routing multimedia calls as in claim 1 wherein the step of queuing the request for an agent assignment further comprises estimating a time length of the queue.
- 20 4. The method of routing multimedia calls as in claim 3 wherein the step of estimating a time length of the queue further comprises transferring the estimated time to the Internet caller.
5. The method of routing multimedia calls as in claim 1 wherein the step of transferring the Internet call to the agent assigned by the automatic call distributor
- 30

further comprises setting up a real-time Internet conference with the caller.

6. The method of routing multimedia calls as in claim 5 wherein the step of setting up the real-time Internet conference with the caller further comprises exchanging audio and text between the assigned agent and Internet caller through an interactive window.

7. The method of routing multimedia calls as in claim 5 wherein the step of setting up a real-time conference with the caller further comprises presenting an information screen to the caller about the real-time call.

8. The method of routing multimedia calls as in claim 5 wherein the step of presenting the information screen to the caller further comprises presenting an estimated time until an assigned agent will be available to participate in the conference.

9. The method of routing multimedia calls as in claim 5 wherein the step of presenting the information screen to the caller about the real-time call further comprises presenting an information request screen to the Internet caller.

10. The method of routing multimedia calls as in claim 5 wherein the step of presenting the information screen to the caller further comprises presenting an animated cartoon figure for entertaining the Internet caller

while the caller waits for completion of setup of the real-time conference.

11. The method of routing multimedia calls as in claim  
5 1 wherein the step of requesting an agent assignment  
for handling the Internet call from the automatic call  
distributor further comprises seizing a connection on  
an incoming trunk to the automatic call distributor and  
sending simulated call associated information to the  
10 automatic call distributor.

12. The method of routing multimedia calls as in claim  
1 wherein the step of requesting an agent assignment  
for handling the Internet call from the automatic call  
15 distributor further comprises sending the request over  
a TCP/IP connection to a call application operating  
within the automatic call distributor.

13. The method of routing multimedia calls as in claim  
20 12 wherein the step of transferring the Internet call  
to the agent assigned by the automatic call distributor  
further comprises connecting a telephone of the  
assigned agent to a dummy load to avoid assigning the  
assigned agent to another call during the Internet  
25 call.

14. A system for routing multimedia calls within an  
automatic call distributor system having a automatic  
call distributor coupled to the public switched  
30 telephone network and a host coupled to the Internet,  
such apparatus comprising:

means for receiving an Internet call from an Internet caller by the host through the Internet;

means for requesting an agent assignment for handling the Internet call from the automatic call distributor; and

means for transferring the Internet call to the agent assigned by the automatic call distributor.

15. The apparatus for routing multimedia calls as in claim 14 further comprising means for queuing the request for an agent assignment.

16. The apparatus for routing multimedia calls as in claim 14 wherein the means for queuing the request for an agent assignment further comprises means for estimating a time length of the queue.

17. The apparatus for routing multimedia calls as in claim 16 wherein the means for estimating a time length of the queue further comprises means for transferring the estimated time to the Internet caller.

18. The apparatus for routing multimedia calls as in claim 14 wherein the means for transferring the Internet call to the agent assigned by the automatic call distributor further comprises means for setting up a real-time Internet conference with the caller.

19. The apparatus for routing multimedia calls as in claim 18 wherein the means for setting up the real-time Internet conference with the caller further comprises means for exchanging audio and text between the

assigned agent and Internet caller through an interactive window.

20. The apparatus for routing multimedia calls as in  
5 claim 18 wherein the means for setting up a real-time conference with the caller further comprises means for presenting an information screen to the caller about the real-time call.

10 21. The apparatus for routing multimedia calls as in claim 18 wherein the means for presenting the information screen to the caller further comprises means for presenting an estimated time until an assigned agent will be available to participate in the  
15 conference.

22. The apparatus for routing multimedia calls as in claim 18 wherein the means for presenting the information screen to the caller about the real-time  
20 call further comprises means for requesting information from the Internet caller.

23. The apparatus for routing multimedia calls as in claim 18 wherein the means for presenting the  
25 information screen to the caller further comprises means for presenting an animated cartoon figure for entertaining the Internet caller.

24. The apparatus for routing multimedia calls as in  
30 claim 14 wherein the means for requesting an agent assignment for handling the Internet call from the automatic call distributor further comprises means for

seizing a connection on an incoming trunk to the automatic call distributor and sending simulated call associated information to the automatic call distributor.

5

25. The apparatus for routing multimedia calls as in claim 14 wherein the means for requesting an agent assignment for handling the Internet call from the automatic call distributor further comprises means for  
10 sending the request over a TCP/IP connection to a call application operating within the automatic call distributor.

26. The apparatus for routing multimedia calls as in  
15 claim 25 wherein the means for transferring the Internet call to the agent assigned by the automatic call distributor further comprises means for connecting a telephone of the assigned agent to a dummy load.

20 27. A system for routing multimedia calls within an automatic call distributor system having a automatic call distributor coupled to the public switched telephone network and a host coupled to the Internet, such apparatus comprising:

25 a host adapted to receive an Internet call from an Internet caller through the Internet;

an agent processor operating from within the host and adapted to request an agent assignment for handling the Internet call from the automatic call distributor;

30 and

a routing processor adapted to transfer the Internet call to a terminal of the agent assigned by the automatic call distributor.

5 28. The apparatus for routing multimedia calls as in claim 27 further comprising a queuing processor adapted to queue the request for an agent assignment.

10 29. The apparatus for routing multimedia calls as in claim 27 wherein the routing processor further comprises an Internet conferencing protocol for setting up a real-time Internet conference with the caller.

15 30. The apparatus for routing multimedia calls as in claim 29 wherein the conferencing protocol further comprises an interactive window adapted to exchanging audio and text between the assigned agent and Internet caller through the Internet.

20 31. The apparatus for routing multimedia calls as in claim 29 wherein the conferencing protocol further comprises an information screen adapted to present information to the caller about the real-time call.

25 32. The apparatus for routing multimedia calls as in claim 29 wherein the information screen further comprises a timer adapted to provide an estimated time until an assigned agent will be available to participate in the conference.

30 33. The apparatus for routing multimedia calls as in claim 29 wherein the information screen further



comprises an information entry window adapted to request information from the Internet caller.

34. The apparatus for routing multimedia calls as in  
5 claim 29 wherein the information screen to the caller further comprises an animated cartoon figure for entertaining the Internet caller.

35. A method of routing multimedia calls within an  
10 automatic call distributor system having a automatic call distributor coupled to the public switched telephone network and a host coupled to the Internet, such method comprising the steps of:

receiving an Internet call from an Internet caller  
15 by the host through the Internet;

requesting an agent assignment from the automatic call distributor; and

queuing the Internet call in a common call queue along with other calls received through the public  
20 switched telephone network based upon a time of arrival.

36. The method of routing multimedia calls as in claim 35 further comprising routing the Internet call to an  
25 assigned agent when the queued Internet call reaches a front of the queue.

37. The method of routing multimedia calls as in claim 35 wherein the step of routing the Internet call to an  
30 agent when the queued Internet call reaches a front of the queue further comprises sending an Internet address of the Internet caller to the assigned agent.

38. The method of routing multimedia calls as in claim  
35 further comprises estimating a time period before  
the queued Internet call will reach a front of the  
5 queue.

39. The method of routing multimedia calls as in claim  
38 wherein the step of estimating a time period before  
the queued Internet call will reach a front of the  
10 queue further comprises transferring the estimate to  
the Internet caller.

40. A method of routing multimedia calls within an  
automatic call distributor system having a automatic  
15 call distributor coupled to the public switched  
telephone network and a host coupled to the Internet,  
such method comprising the steps of:  
receiving an Internet call from an Internet caller  
by the host through the Internet;  
20 requesting an agent assignment for handling the  
Internet call from the automatic call distributor; and  
transferring the Internet call to the agent  
assigned by the automatic call distributor.

41. A method of displaying information to a caller of  
an automatic call distributor, such method comprising  
the steps of:  
receiving a request for a real-time conference  
from a caller;  
30 sending a call request to the automatic call  
distributor for an agent to handle the real-time  
conference; and

presenting information to the caller as the caller  
waits for setup of the real-time conference.

CONFERENCE

### Abstract

A method and apparatus are provided for routing multimedia calls within an automatic call distributor system having a automatic call distributor coupled to  
5 the public switched telephone network and a host coupled to the Internet. The method includes the steps of receiving an Internet call from an Internet caller by the host through the Internet, requesting an agent assignment for handling the Internet call from the  
10 automatic call distributor coupled to the public switched telephone network and transferring the Internet call to a terminal of the agent assigned by the automatic call distributor.




FIG. 1

e-mail

CONF

62

64

60

FIG. 3




FIG. 4

**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare:

That my residence, post office address and citizenship are as stated below next to my name.

That I verily believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**ACD MULTIMEDIA CUSTOMER CONTACT ROUTING WITH DELAY ANNOUNCEMENTS**

the specification of which is attached hereto.

That I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

That I acknowledge the duty to disclose information to be material to patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

That I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)      None

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

<u>60/122,278</u>	<u>March 1, 1999</u>
(Application Number)	(Filing Date)

_____	_____
(Application Number)	(Filing Date)

That I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

United States Application(s)

_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)-(Patented, pending, abandoned)

_____	_____	_____
(Application Serial No.)	(Filing Date)	(Status)-(Patented, pending, abandoned)

009760-PTES0000

That all statements made herein of my own knowledge are true and that statements made on information and belief are believed to be true and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

I hereby appoint the following attorneys, with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith and request that all correspondence and telephone calls in respect to this application be directed to WELSH & KATZ, LTD., 120 South Riverside Plaza, 22nd Floor, Chicago, Illinois 60606, Telephone No. (312) 655-1500.

<u>Attorney</u>	<u>Registration No.</u>
A. Sidney Katz	24,003
Richard L. Wood	22,839
Jerold B. Schnayer	28,903
Eric C. Cohen	27,429
Joseph R. Marcus	25,060
Gerald S. Schur	22,053
Gerald T. Shekleton	27,466
James A. Scheer	29,434
Daniel R. Cherry	29,054
Edward P. Gamson	29,381
Kathleen A. Rheintgen	34,044
Thomas W. Tolpin	27,600
Eric D. Cohen	38,110
Jon P. Christensen	34,137
Walter J. Kawula, Jr.	39,724
Leonard Friedman	37,135
Philip D. Segrest	39,021
Jeffrey W. Salmon	37,435
Mitchell J. Weinstein	37,963
William C. Cray	27,627
John J. Deinken	28,406
Kyle Eppelle	34,155
John J. Horn	28,803
John M. Miller	38,560
Susie H. Oh	36,391
James P. O'Shaughnessy	27,667
Keith L. Stephens	32,632
Philip K. Yu	35,742

Full name of sole or one joint inventor:

Darryl Hymel

Inventor's signature

Date

Residence and Post Office Address:

38W240 Christina Court

Batavia, Illinois 60510

Citizenship:

United States

Address for Correspondence:

WELSH & KATZ, LTD.  
120 South Riverside Plaza  
22nd Floor  
Chicago, Illinois 60606